# TEKNIC

CE 🗚 🕲 🖄

Control and Signaling Devices Ø 22.5 Metal Series MRP with effect from 10.07.2024



#### Salient features

This range of Ø22.5 pushbuttons, selector switches, illuminated switches, illuminated selector switches and pilot lights have been designed to provide the following salient features:

SELF WIPING COTACT

- Economy of space
  easthetically elegant
- Simple to fix screw driver is all that required
  - Safe in operation
- Fixing method unaffected by excessive vibration-Unit does not rotate
- Protection against electric shock (unit earthed)

#### Actuators

The circular actuators have chrome plated metal bezels, and are interchangeable on the different types of contact elements.

#### **Contact Elements**

The contact elements are double break and have self-wiping contacts.

The elements are interchangeable and can be stacked without additional hardware,

1 to 6 elements (NO or NC) can be used with non-illuminated actuators,

whereas, 1 to 4 elements (NO or NC) can be used for illuminated actuators,

Gold plated NO and NC contact elements for low voltage, low current

switching circuits <25 mA, are available

#### Illuminated pushbuttons and pilot lights

Pilot lights and illuminated switches are suitable for direct connection, through series resistor, through series resistor and diode, using bayonet cap filament bulb type BA9S, as follows:

Supply voltage for direct connection without series resistor	: 6V-130V
Supply voltage through series resistor	: 12V-415V
Supply voltage through series resistor and diode	
Bulb	Filament, type BA9S with OAL max., 28 mm
LED illuminated actuators & pilot lights are available with int	tegral LED. LED in bayonet cap suitable for oper

LED illuminated actuators & pilot lights are available with integral LED, LED in bayonet cap suitable for operating at various voltages namely 6V, 12V, 24V, 30V, 48V, 110V, 230V, AC or DC and 415V AC. LED bulbs with bayonet cap are constructed in the standard BA9S design with OAL max. 28 mm. On request an extra short circuit protection consisting of built in fuse in the LED modules can be provided.

Pilot lights are available with but in transformers suitable for operating at 230. 110 volts AC Input and 6V, 12V and 24V output.

#### Terminals

Contact elements and pilot lights are designed to have shrouded terminals with combi screws,

#### Fixing

The control devices Ø22.5 can be fixed in any position on panels of 1 to 6 mm thick ness. We recommend minimum fixing centers of 30 mm X 40 mm. However, the dimensions and configuration should be decided on the basis of the application. The actuators and the lenses assemblies lock on to the holding bracket using a bayonet type of fixing which enables a simple and fast assembly. The complete assembly is locked into position on the panel by two M4 pointed screws on the bracket, lightened equally from the rear. The screws should be tightened adequately lo such an extent as to pierce through the paint on the panel from inside.

These screws also ensure the earthing of the unit.


#### Electrical and mechanical characteristics

En	vire	onn	nent	1
1. NO. 13	1.1.2	1.0.1	121224	(100 m

Standard conformity Approval	: CSA - C22.2 No. 14-95, UL508, IEC 947 • 5 (1) 1990, IS 13947 : ASTA UK certified as per IEC 947 - 5 - (1) 1990
Degree of protection Ambient Operating Position	: CSA - C22.2 No. 14° 95, UL508 : IP 65 as per IEC 529, NEMA 4X, 12 as per UL 50 : - 25' C to + 70' C : All Position
Contact Block	
Rated insulation voltage	: 500 V
Rated thermal current	: 10 A
Contact operation	: Self wiping, slow break NO or NC
Make and break capacity	
As per IEC 947 - 5 • (1) 1990	: AC 15 4A, 415V AC
	: DC13 0.5A 110V DC
As per CSA - C22.2 No. 14-95, UL508	: A 600 Q600
Terminal capacity	: minimum 1 x 0.5 mm', maximum 2 x 1.5 mm' or 1 x 2.5 mm'
Terminal marking	: 1-2 for NC, 3-4 for NO
Short circuit protection	: 10 A cartridge ruse HRC type, rated for resistive loading


Ľ		1	F 3	- 21
	I	I 3	F 3	8
	-	· · · · · ·		
-	10	34	5.4	-

## Fixing arrangement



- Robust in materiels of construction
- ition
  - Very good flame resistance
  - Shrouded terminals

Mechanical life Electric rating (For 1 million operation cycles, operation at 3600 cycles per hour, load factor 0.5)



Modules for pilot light & illuminated switches with integral LED I multichip LED bulb (BA9S cap) Current consumptions (applicable to all colours)

24 VAC/DC, 110 VAC & 240 VAC 110 VDC 220 VDC Service life (al nominal voltage and at Ambient temperature of 25°C) Voltage limits (nominal voltage) Short circuit protection Terminal capacity : max .20 mA : max.15 mA : max.10 mA : 50,000 hours

: <20 % of rated voltage> : on specific request : min. 1 x 0.5 mm2, max. 2 x 1.5 mm2 or 1 x 2.5 mm2

#### Control and signalling devices Ø 22.5

#### Ordering instructions

1. Actuators, illuminated a 2. The type numbers of o	actuators, conta contact elemen	ts are : NO:	Actuator r Individual Actuator r	nounting mounting	g : S1, S3 ig : S5, S7 g : S2, S4	Note: S3, S4, suitable	S7, S8 are for low vol	gold plated contact tage, low current
3. Some examples of ty	ne numbere:		Individua	mountir	ig : S6, S8	switchin	g circuits <	25 mA
Actuator		is flush actua	tor, GREE	N				
Pilot light	:Type 2PLB4	is pilot light	without se	ries resi				
Complete pushbuttor	:Type 2PSF4	111 is flush p	ushbutton,	RED, w	ith 1NO+1NC	C contact e	ements	
					1N	C element	\$2	
					1N	O element	S1	
					Co	lour actuat	or, RED	
					Ø:	22.5 flush	type pusht	outton
Accessories and spare	s							$\bigcirc$
Legend plates Legend plates 30 x 40 m START FORWARD UP STOP REVERSE DOW Legend plate Ø 60 mm yello	om are supplied OPEN A /N CLOSE H	UTO SLOW	RESET C	ON RIG		N	$\bigcirc$	STOP
Filament bulb								
Filament bulb type BA9S		1920 - Talai	222					A (
Voltage : 6 12	24 30	48 60	130					
Watts : 1 2	2 2	2 2	2,6					1 C
LED bulb		22.025						
LED multichip bulb type			Amb		Dhua	Valleur	V	w
Colour : White Type No. : MCB9124	Green MCB9324	Red	Amb MCB95	E01	Blue MCB9624	Yellow MCB9824		
MCB9124 MCB91110	MCB9324 MCB93110	MCB9424 MCB94110	MCB95		MCB9624 MCB96110	MCB9824 MCB9811		0.5
MCB91230	MCB93230	MCB94230	MCB95	21010	MCB96230	MCB9823		1.0
Lenses	110000200	110004200	110000	12.00	1100000200	mobooli		110
Colour of lense :	Translucen	t Green	Red	Ambe	r Blue	Clear	Yellow	
	White		0.00		Sec. 2703.500			01
For pilot lights	2PLL1	2PLL3	2PLL4	2PLL	5 2PLL6	2PLL7	2PLL8	
with filament bulb								
For illuminated	2LAL1	2LAL3	2LAL4	2LAL	5 2LAL6	2LAL7	2LAL8	
actuators with filament b	ulb							(m)
(flush/projecting)								
For pilot lights	2PLL1L	2PLL3L	2PLL4L	2PLL5	L 2PLL6L	2PLL7L	2PLL8L	KIIA
with LED								
For illuminated	2LAL1L	2LAL3L	2LAL4L	2LAL5	L 2LAL6L	2LAL7L	2LAL8L	
actuators with LED								
(flush/projecting)								
Push Push mechanism	for convertin	g spring retu	urn actuat	or into	stay put type	e		T Turp
Type No.: 2PPM								Lan
								←22.5→
Adaptor for fixing Ø 22	.5 devices in (	ð 30.5 cutou	t.					
Type No. : 2ADP								← 30,5 →
Fixing flange								0 0
Type No. : 2BRK								Ľ.
								(A)
Padlock		00444						
For mushroom actuato For projecting actuator								
For projecting actuator	. type no.	ZFAF						6
Boots for booted actu	ators			6	P	oot for no	un ill Aluci	actuator 6
Colour of Boot : Black		ed Blue	Yellow	$\left( \right) $		olour of Bo		actuator
Type No : 2BT2		3T4 2BT6	2BT8	VI	1	/pe No	: 2BT7	$\forall$
-								
		_			0	2 -	-	
Boot for flush / proj. i	actuator		bot for tw			10000		I. actuator
Colour of Boot : Clear Type No : 2ALBT7	, (J)		olour of Bo		Sec		r of Boot :	2ATLBT7
Type No : 2ALBT7		iy	pe No	: ZA	ГВТ7	Type	NO :	ZAILDI/
8					100			
Bulb extractor								
Type No. : 2BA9SE								
u estrumonian - socialization-								
Blanking plug for Ø 2	2.5 hole black	k						linna 1
Type No. : 2BP2	and note, blac							



Control & Signalling Devices 22.5 Ø

METALLIC SERIES					
MOMENTARY ACTUATO	RS				
	ТҮРЕ	COLOUR	ORDERING CODE	PRICE IN Rs.	
		White	2AF1	85.00	
- Area -		Black	2AF2	85.00	
	Flush	Green	2AF3	85.00	
		Red	2AF4	85.00	
		Blue	2AF6	85.00	
		Yellow	2AF8	85.00	
		White	2AF1A	110.00	
	Flush with	Black	2AF2A	110.00	
	arrow marking				
		White	2AP1	85.00	
Projectin		Black	2AP2	85.00	
	Projecting	Green	2AP3	85.00	
		Red	2AP4	85.00	
		Blue	2AP6	85.00	
		Yellow	2AP8	85.00	
		TCHOW	2710	85.00	
		White	2AF1RR	115.00	
		Black	2AF2RR	115.00	
	Flush Relay Reset	Green	2AF3RR	115.00	
	,	Red	2AF4RR	115.00	
		Blue	2AF6RR	115.00	
		Yellow	2AF8RR	115.00	
		White	2AF1RH	140.00	
		Black	2AF2RH	140.00	
	Recess head	Green	2AF3RH	140.00	
		Red	2AF4RH	140.00	
		Blue	2AF6RH	140.00	
		Yellow	2AF8RH	140.00	
		Black	2AB2	160.00	
		Green	2AB2 2AB3	160.00	
- De arts	Booted	Red			
		Blue	2AB4 2AB6	160.00 160.00	
		Yellow	2AB8	160.00	



### Control & Signalling Devices 22.5 Ø

METALLIC SERIES MUSHROOM ACTUATORS						
	Latching	Black	2AMLS2	185.00		
	Ø 30mm	Red	2AMLS4	185.00		
	Momentary Ø 40mm	Black Green Red Blue Yellow	2AM2 2AM3 2AM4 2AM6 2AM8	130.00 130.00 130.00 130.00 130.00		
	Latching	Black	2AML2	185.00		
	Ø 40mm	Red	2AML4	185.00		
	Push-Pull	Black	2AMPP2	185.00		
	Ø 40mm	Red	2AMPP4	185.00		



### Control & Signalling Devices 22.5 Ø

MUSHROOM ACTUATORS					
	ТҮРЕ	COLOUR	ORDERING CODE	PRICE IN Rs.	
	Latching with Key	Black	2AMLKB2	370.00	
	Ø 40mm	Red	2AMLKB4	370.00	
	Latching	Black	2AMLJ2	250.00	
	Ø 60mm	Red	2AMLJ4	250.00	
	Push-Pull	Black	2AMPPJ2	250.00	
	Ø 60mm	Red	2AMPPJ4	250.00	
	Momentary Ø 60mm	Black Green Red Blue Yellow	2AMJ2 2AMJ3 2AMJ4 2AMJ6 2AMJ8	185.00 185.00 185.00 185.00 185.00	



## Control & Signalling Devices 22.5 Ø METALLIC SERIES

WIETALLIC SERIES						
SELECTOR ACTUATORS						
	ТҮРЕ		COLOUR	ORDERING CODE	PRICE IN Rs.	
Ω	2 position LATCHING	QQ		2AS2-2P	255.00	
	With ext. knob		Black	2AS2E-2P	255.00	
	MOMENTARY	0,	DIACK	2AS2-2PSR	255.00	
	With ext. knob	$\sim$		2AS2E-2PSR	255.00	
	3 position STAY PUT	0,0,0		2AS2-3P	255.00	
	With ext. knob	<u>_</u>		2AS2E-3P	255.00	
	MOMENTARY on both sides	0.0.0	Black	2AS2-3PSR	275.00	
	With ext. knob			2AS2E-3PSR	275.00	
	MOMENTARY on right	0,000		2AS2-3PSRR	275.00	
	With ext. knob	$\searrow$		2AS2E-3PSRR	275.00	
	MOMENTARY on left	0 0 0		2AS2-3PSRL	275.00	
	With ext. knob	~~ <u>`</u> ~~		2AS2E-3PSRL	275.00	



#### Control & Signalling Devices 22.5 Ø

#### **METALLIC SERIES**

#### **KEY SELECTOR ACTUATORS**

	ТҮРЕ		COLOUR	ORDERING CODE	PRICE IN Rs.
		×oŏ		2АК2-2РВ	350.00
	2 POSITION Stayput	×o		2AK2-2PO	350.00
	Spring Return	<i>م</i> رŏ	Black	2AK2-2PI	350.00
1		Ň, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		2AK2-2POSR	350.00
		x x x x		2AK2-3PA	375.00
		å <u>o</u> o		2AK2-3PO	375.00
	3 POSITION Stayput			2AK2-3POSR	375.00
		× o ×	Black	2АК2-ЗРВ	375.00
		0, ×, 0		2AK2-3PC	375.00
	Spring Return	Q X O		2AK2-3PSR	375.00
	Right to Centre	0,0,0		2AK2-3PSRR	375.00
	Left to Centre	a vo		2AK2-3PSRL	375.00
		* X stands f	or position in whi	ich key is removable	



## Control & Signalling Devices 22.5 Ø METALLIC SERIES

TWIN ACTUATORS						
	ТҮРЕ	COLOUR	ORDERING CODE	PRICE IN Rs.		
		Green	2ATF3F4	170.00		
	Double Flush	Red	2/(115) 1	170.00		
	w/o IO Mark	Yellow	2ATF8F2	170.00		
-10		Black	ZATIOIZ	170.00		
		Green	2ATF3F4(IO)	170.00		
	Double Flush with IO Mark	Red	2411314(10)	170.00		
		Yellow	2ATF8F2(IO)	170.00		
		Black		170.00		
		Green	2ATF3P4	170.00		
	1 Flush 1 Projecting	Red	2711314	170.00		
	w/o IO Mark	Yellow	2ATF8P2	170.00		
		Black	ZATIOTZ	170.00		
	4 Eluch	Green	2ATF3P4(IO)	170.00		
	1 Flush 1 Projecting	Red	2711314(10)	170.00		
	with IO Mark	Yellow	2ATF8P2(IO)	170.00		
		Black		170.00		



#### Control & Signalling Devices 22.5 Ø

٦

-					
	лет	ΓΛΙΙ		SER	IEC
	VILI		-10	JLIN	LJ

ſ

	ТҮРЕ	COLOUR	ORDERING CODE	PRICE IN Rs. INTEGRAL LED	PRICE IN Rs. WITH LED BUL
	Illuminated Flush a	ctuator, Momentary	L I		
		White LED / White Lens	2ALRF1L(S)	475.00	
	Integral LED	Green LED / Green Lens	2ALRF3L	300.00	
- Carl	6V, 12V, 24V, 48V	Red LED / Red Lens	2ALRF4L	300.00	
Contraction of the	AC/DC, 110VAC,	Amber LED / Amber Lens	2ALRF5L	300.00	
<u>*</u>	110VDC, 230VAC,	Blue LED / Blue Lens	2ALRF6L	610.00	
	220VDC	White LED / Clear Lens	2ALRF7L(S)	475.00	
		Yellow LED / Yellow Lens	2ALRF8L	300.00	
Integral LED	Please mention the voltage	e required after the ordering code			
		White LED Bulb / White Lens	2ALF1LB(S)		535.00
		Green LED Bulb / Green Lens	2ALF3LB		295.00
	LED Bulb, BA9S type	Red LED Bulb / Red Lens	2ALF4LB		295.00
A A A A A A A A A A A A A A A A A A A	24V AC/DC, 110VAC,	Amber LED Bulb / Amber Lens	2ALF5LB		295.00
NO. INCLUSION AND	110VDC, 230VAC,	Blue LED Bulb / Blue Lens	2ALF6LB		575.00
E .	220VDC	White LED Bulb/ Clear Lens	2ALF7LB(S)		535.00
		Yellow LED Bulb / Yellow Lens	2ALF8LB		295.00
LED Bulb	Please mention the voltage	e required after the ordering code			
	1	White LED / White Lens	2ALRF1L(S)F	475.00	
		Green LED / Green Lens	2ALRF3LF	300.00	
		Red LED / Red Lens	2ALRF4LF	300.00	
-AS-22	Integral LED	Amber LED / Amber Lens	2ALRF5LF	300.00	
COMPANY OF THE OWNER OF THE	24V, 110V, 230V AC	Blue LED / Blue Lens	2ALRF6LF	610.00	
		White LED / Clear Lens	2ALRF7L(S)F	475.00	
		Yellow LED / Yellow Lens	2ALRF8LF	300.00	
lasher with Integral LED	Please mention the voltage	e required after the ordering code			
	Illuminated Project	ing Actuator, Momentary			
		White LED / White Lens	2ALRP1L(S)	475.00	
	Integral LED	Green LED / Green Lens	2ALRP3L	300.00	
-An -	6V, 12V, 24V, 48V	Red LED / Red Lens	2ALRP4L	300.00	
	AC/DC, 110VAC,	Amber LED / Amber Lens	2ALRP5L	300.00	
and the second second	110VDC, 230VAC,	Blue LED / Blue Lens	2ALRP6L	610.00	
	220VDC	White LED / Clear Lens	2ALRP7L(S)	475.00	
		Yellow LED / Yellow Lens	2ALRP8L	300.00	
Integral LED	Please mention the voltage	e required after the ordering code			
		White LED Bulb / White Lens	2ALP1LB(S)		535.00
		Green LED Bulb / Green Lens	2ALP3LB		295.00
	LED Bulb, BA9S type	Red LED Bulb / Red Lens	2ALP4LB		295.00
	24V AC/DC, 110VAC,	Amber LED Bulb / Amber Lens	2ALP5LB		295.00
GR. TRANSFER AS	110VDC, 230VAC,	Blue LED Bulb / Blue Lens	2ALP6LB		575.00
Second States	220VDC	White LED / Clear Lens	2ALRP7L(S)		535.00
		Yellow LED Bulb / Yellow Lens	2ALP8LB		295.00
LED Bulb	Please mention the voltage	e required after the ordering code			-
		White LED / White Lens	2ALRP1LF(S)	475.00	
		Green LED / Green Lens	2ALRP3LF	300.00	
- Brown	Integral LED	Red LED / Red Lens	2ALRP4LF	300.00	
-	24V, 110V, 230V AC	Amber LED / Amber Lens	2ALRP5LF	300.00	
and a second second	27V, 110V, 230V AC	Blue LED / Blue Lens	2ALRP6LF	610.00	
		White LED / Clear Lens	2ALRP7LF(S)	475.00	
		Yellow LED / Yellow Lens	2ALRP8LF	300.00	
lasher with Integral LED	Please mention the voltage	e required after the ordering code			
	Illuminated Project	ing Actuator, Push to ON &	Push to Release		
		White LED / White Lens	2ALRPPP1L(S)	635.00	
			2ALRPPP3L	465.00	
	Integral LED	Green LED / Green Lens			
	<b>Integral LED</b> 6V, 12V, 24V, 48V	Green LED / Green Lens Red LED / Red Lens	2ALRPPP4L	465.00	
	-	· · · · · · · · · · · · · · · · · · ·		465.00 465.00	
	6V, 12V, 24V, 48V	Red LED / Red Lens	2ALRPPP4L		
	6V, 12V, 24V, 48V AC/DC, 110VAC,	Red LED / Red Lens Amber LED / Amber Lens	2ALRPPP4L 2ALRPPP5L	465.00	



#### Control & Signalling Devices 22.5 Ø

				PRICE IN Rs.	PRICE IN Rs.			
	ТҮРЕ	COLOUR	ORDERING CODE	INTEGRAL LED	WITH LED BULB			
	2 Position Illuminated Selector Actuator							
	Integral LED	White LED / White Lens	2ASLR1L(S)-2P	645.00				
	6V, 12V, 24V, 48V AC/DC,	Green LED / Green Lens	2ASLR3L-2P	490.00				
	110VAC, 110VDC, 230VAC,	Red LED / Red Lens	2ASLR4L-2P	490.00				
NUL TOTAL CONTRACT OF	220VDC	Amber LED / Amber Lens	2ASLR5L-2P	490.00				
		Blue LED / Blue Lens	2ASLR6L-2P	765.00				
	Q, , , O	White LED / Clear Lens	2ASLR7L(S)-2P	645.00				
	~	Yellow LED / Yellow Lens	2ASLR8L-2P	490.00				
Integral LED	Please mention the voltage re	quired after the ordering code						
	LED Bulb, BA9S type	White LED Bulb / White Lens	2ASL1LB(S)-2P		740.00			
	24V AC/DC,	Green LED Bulb / Green Lens	2ASL3LB-2P		490.00			
	110VAC, 110VDC, 230VAC,	Red LED Bulb / Red Lens	2ASL4LB-2P		490.00			
-	220VDC	Amber LED Bulb / Amber Lens	2ASL5LB-2P		490.00			
GR. THREEMONT SE		Blue LED Bulb / Blue Lens	2ASL6LB-2P		765.00			
		White LED Bulb/ Clear Lens	2ASL7LB(S)-2P		740.00			
	· • •	Yellow LED Bulb / Yellow Lens	2ASL8LB-2P		490.00			
LED Bulb	Please mention the voltage re	quired after the ordering code						
	Integral LED	White LED / White Lens	2ASLR1L(S)-2PSR	645.00				
-	6V, 12V, 24V, 48V AC/DC,	Green LED / Green Lens	2ASLR3L-2PSR	490.00				
	110VAC, 110VDC, 230VAC,	Red LED / Red Lens	2ASLR4L-2PSR	490.00				
	220VDC	Amber LED / Amber Lens	2ASLR5L-2PSR	490.00				
	0 0	Blue LED / Blue Lens	2ASLR6L-2PSR	765.00				
		White LED / Clear Lens	2ASLR7L(S)-2PSR	645.00				
	•	Yellow LED / Yellow Lens	2ASLR8L-2PSR	490.00				
Integral LED	Please mention the voltage re	Please mention the voltage required after the ordering code						
	LED Bulb, BA9S type	White LED Bulb / White Lens	2ASL1LB(S)-2PSR		740.00			
	24V AC/DC,	Green LED Bulb / Green Lens	2ASL3LB-2PSR		490.00			
	110VAC, 110VDC, 230VAC,	Red LED Bulb / Red Lens	2ASL4LB-2PSR		490.00			
The state	220VDC	Amber LED Bulb / Amber Lens	2ASL5LB-2PSR		490.00			
The Designment of the	0 0	Blue LED Bulb / Blue Lens	2ASL6LB-2PSR		765.00			
A CONTRACTOR OF A CONTRACTOR OF A CONTRACTOR OF A CONTRACTOR A CONTRAC		White LED Bulb/ Clear Lens	2ASL7LB(S)-2PSR		740.00			
Lawrence of the state of the	$\sim$	Yellow LED Bulb / Yellow Lens	2ASL8LB-2PSR		490.00			
LED Bulb	Please mention the voltage required after the ordering code							



#### Control & Signalling Devices 22.5 Ø

MINATED SELEC	TOR WITH LED	METALLIC SERIES			
	ТҮРЕ	COLOUR	ORDERING CODE	PRICE IN Rs. INTEGRAL LED	PRICE IN Rs. WITH LED BUL
	3 Position illuminate	d selector actuator			•
	Stayput	White LED / White Lens	2ASLR1L(S)-3P	665.00	
	Integral LED	Green LED / Green Lens	2ASLR3L-3P	515.00	
	6V, 12V, 24V, 48V AC/DC	Red LED / Red Lens	2ASLR4L-3P	515.00	
	110VAC, 110VDC,	Amber LED / Amber Lens	2ASLR5L-3P	515.00	
	230VAC, 220VDC	Blue LED / Blue Lens White LED / Clear Lens	2ASLR6L-3P 2ASLR7L(S)-3P	775.00	
	2 9 P	Yellow LED / Yellow Lens	2ASLR7L(3)-3P	515.00	
	Please mention the voltage re	quired after the ordering code			8
	Momentary	White LED / White Lens	2ASLR1L(S)-3PSR	700.00	
	Integral LED	Green LED / Green Lens	2ASLR3L-3PSR	525.00	
	6V, 12V, 24V, 48V AC/DC	Red LED / Red Lens	2ASLR4L-3PSR	525.00	
	110VAC, 110VDC,	Amber LED / Amber Lens	2ASLR5L-3PSR	525.00	
	230VAC, 220VDC	Blue LED / Blue Lens	2ASLR6L-3PSR	800.00	
	0,00	White LED / Clear Lens Yellow LED / Yellow Lens	2ASLR7L(S)-3PSR 2ASLR8L-3PSR	700.00 525.00	
The set	_	equired after the ordering code	ZAJLKOL-SF3K	525.00	
Construction of the				700.00	1
ant a start and a start and a start a	Stayput / Momentary Integral LED	White LED / White Lens Green LED / Green Lens	2ASLR1L(S)-3PSRL 2ASLR3L-3PSRL	700.00 525.00	
A STREET	6V, 12V, 24V, 48V AC/DC	Red LED / Red Lens	2ASLR3L-3PSRL 2ASLR4L-3PSRL	525.00	
	110VAC, 110VDC,	Amber LED / Amber Lens	2ASLR5L-3PSRL	525.00	
	230VAC, 220VDC	Blue LED / Blue Lens	2ASLR6L-3PSRL	800.00	
	~~~~	White LED / Clear Lens	2ASLR7L(S)-3PSRL	700.00	
		Yellow LED / Yellow Lens	2ASLR8L-3PSRL	525.00	
	Please mention the voltage re	equired after the ordering code			
	Stayput / Momentary	White LED / White Lens	2ASLR1L(S)-3PSRR	700.00	
	Integral LED	Green LED / Green Lens	2ASLR3L-3PSRR	525.00	
	6V, 12V, 24V, 48V AC/DC	Red LED / Red Lens Amber LED / Amber Lens	2ASLR4L-3PSRR 2ASLR5L-3PSRR	525.00	
	110VAC, 110VDC, 230VAC, 220VDC	Blue LED / Blue Lens	2ASLR6L-3PSRR	525.00 800.00	
	<u>م</u>	White LED / Clear Lens	2ASLR7L(S)-3PSRR	700.00	
	NZ.	Yellow LED / Yellow Lens	2ASLR8L-3PSRR	525.00	
Integral LED	Please mention the voltage re	quired after the ordering code			
	3 Position illuminate	d selector actuator with LE	) Bulb		
	Stayput	White LED Bulb / White Lens	2ASL1LB(S)-3P		760.00
	LED Bulb, BA9S type	Green LED Bulb / Green Lens	2ASL3LB-3P		505.00
	24V AC/DC,	Red LED Bulb / Red Lens	2ASL4LB-3P		505.00
	110VAC, 110VDC	Amber LED Bulb / Amber Lens	2ASL5LB-3P		505.00
	230VAC, 220VDC	Blue LED Bulb / Blue Lens	2ASL6LB-3P		790.00
	9.9.0	White LED Bulb/ Clear Lens Yellow LED Bulb / Yellow Lens	2ASL7LB(S)-3P 2ASL8LB-3P		760.00 505.00
	Place mention the voltage re		ZAJLOLD-JP		505.00
		quired after the ordering code			770.00
	Momentary LED Bulb, BA9S type	White LED Bulb / White Lens Green LED Bulb / Green Lens	2ASL1LB(S)-3PSR 2ASL3LB-3PSR		770.00 520.00
	24V AC/DC,	Red LED Bulb / Red Lens	2ASL4LB-3PSR		520.00
	110VAC, 110VDC	Amber LED Bulb / Amber Lens	2ASL5LB-3PSR		520.00
	230VAC, 220VDC	Blue LED Bulb / Blue Lens	2ASL6LB-3PSR		800.00
	0,00	White LED Bulb/ Clear Lens	2ASL7LB(S)-3PSR		770.00
		Yellow LED Bulb / Yellow Lens	2ASL8LB-3PSR		520.00
All and a second second		quired after the ordering code			
154	Stayput / Momentary	White LED Bulb / White Lens	2ASL1LB(S)-3PSRL		770.00
and a second	LED Bulb, BA9S type	Green LED Bulb / Green Lens Red LED Bulb / Red Lens	2ASL3LB-3PSRL 2ASL4LB-3PSRL		520.00
	24V AC/DC, 110VAC, 110VDC	Amber LED Bulb / Amber Lens	2ASL4LB-3PSRL 2ASL5LB-3PSRL		520.00 520.00
	230VAC, 220VDC	Blue LED Bulb / Blue Lens	2ASL6LB-3PSRL		800.00
	0,0,0	White LED Bulb/ Clear Lens	2ASL7LB(S)-3PSRL		770.00
	$\sim$	Yellow LED Bulb / Yellow Lens	2ASL8LB-3PSRL		520.00
	Please mention the voltage re	quired after the ordering code			
	Stayput / Momentary	White LED Bulb / White Lens	2ASL1LB(S)-3PSRR		770.00
	LED Bulb, BA9S type	Green LED Bulb / Green Lens	2ASL3LB-3PSRR		520.00
	24V AC/DC,	Red LED Bulb / Red Lens	2ASL4LB-3PSRR		520.00
	110VAC, 110VDC	Amber LED Bulb / Amber Lens	2ASL5LB-3PSRR		520.00
	230VAC, 220VDC	Blue LED Bulb / Blue Lens	2ASL6LB-3PSRR		800.00
	Q. Q. O	White LED Bulb/ Clear Lens Yellow LED Bulb / Yellow Lens	2ASL7LB(S)-3PSRR		770.00 520.00
		LENOW LED BUILD / TELLOW LEDS	2ASL8LB-3PSRR		520.00



#### MRP w.e.f. 10.07.2024 Control & Signalling Devices 22.5 Ø

	ТҮРЕ	COLOUR	ORDERING CODE	PRICE IN Rs. INTEGRAL LED	PRICE IN Rs. WITH LED BUL					
	Pilot Light with Integ	Pilot Light with Integral LED								
		White LED / White Lens	2PLBR1L(S)	435.00						
		Green LED / Green Lens	2PLBR3L	260.00						
	Integral LED	Red LED / Red Lens	2PLBR4L	260.00						
-me-vanasor+m	6V, 12V, 24V, 48V AC/DC,	Amber LED / Amber Lens	2PLBR5L	260.00						
Land for an analysis and a	110VAC, 110VDC, 230VAC,	Blue LED / Blue Lens	2PLBR6L	575.00						
	220VDC	White LED / Clear Lens	2PLBR7L(S)	435.00						
		Yellow LED / Yellow Lens	2PLBR8L	260.00						
Integral LED	Please mention the voltage re	quired after the ordering code			•					
		White LED / White Lens	2PLBR1LF(S)	435.00						
		Green LED / Green Lens	2PLBR3LF	260.00						
Contraction of the local division of the loc	Integral LED, Flasher	Red LED / Red Lens	2PLBR4LF	260.00						
	6V, 12V, 24V, 48V AC/DC,	Amber LED / Amber Lens	2PLBR5LF	260.00						
THE OWNER AND ADDRESS OF	110VAC, 110VDC, 230VAC,	Blue LED / Blue Lens	2PLBR6LF	575.00						
and the state of the	220VDC	White LED / Clear Lens	2PLBR7LF(S)	435.00						
		Yellow LED / Yellow Lens	2PLBR8LF	260.00						
Flasher	Please mention the voltage re	•	-							
		White LED / White Lens	2PLBR1L(S)	500.00						
		Green LED / Green Lens	2PLBR3L	320.00						
		Red LED / Red Lens	2PLBR4L	320.00						
	Integral LED	Amber LED / Amber Lens	2PLBR5L	320.00						
Contraction of the Institution	415VAC	Blue LED / Blue Lens	2PLBR6L	635.00						
- Aller -		White LED / Clear Lens	2PLBR7L(S)	500.00						
		Yellow LED / Yellow Lens	2PLBR8L	320.00						
Integral LED	Please mention the voltage re	·	21 EBROE							
integral 229		Please mention the voltage required after the ordering code								
	Pilot Light with LED B									
		White LED Bulb / White Lens	2PLB1LB(S)		495.00					
-		Green LED Bulb / Green Lens	2PLB3LB		255.00					
	LED Bulb, BA9S type	Red LED Bulb / Red Lens	2PLB4LB		255.00					
For and the second s	24V AC/DC, 110VAC,	Amber LED Bulb / Amber Lens	2PLB5LB		255.00					
	110VDC, 230VAC, 220VDC	Blue LED Bulb / Blue Lens	2PLB6LB		525.00					
		White LED Bulb / Clear Lens	2PLB7LB(S)		495.00					
		Yellow LED Bulb / Yellow Lens	2PLB8LB		255.00					
LED Bulb	Please mention the voltage re	quired after the ordering code			1					
	LED Bulb, BA9S type Primary volt. Sec. Volt.	White LED Bulb / White Lens			805.00					
A ALL A	110 VAC 6	Green LED Bulb / Green Lens	2PLBT1LB(S)XX / YYY 2PLBT3LBXX / YYY		560.00					
-10-34-	110 VAC 6 110 VAC 12	Red LED Bulb / Red Lens	2PLBT3LBXX / YYY 2PLBT4LBXX / YYY		560.00					
1 The Contract of Contract	110 VAC 12 110 VAC 24	Amber LED Bulb / Amber Lens	2PLBT5LBX X/ YYY		560.00					
Name and			· · ·							
A CONTRACTOR OF A CONTRACTOR	Primary volt. Sec. Volt.	Blue LED Bulb / Blue Lens	2PLBT6LBXX / YYY		835.00					
	240 VAC 6	White LED Bulb / Clear Lens	2PLBT7LB(S)XX / YYY		805.00					
	240 VAC 12 240 VAC 24	Yellow LED Bulb / Yellow Lens	2PLBT8LBXX / YYY		560.00					
	240 VAC 24		Primary Voltage		I					



#### Control & Signalling Devices 22.5 Ø

TWIN ILLUMINATED ACTUATORS WITH LED								
	ТҮРЕ	COLOUR	ORDERING CODE	PRICE IN Rs. INTEGRAL LED	PRICE IN Rs. WITH LED BULB			
	Twin Illuminated 1 F	lush, 1 Projecti	ng (IO) Mark					
	Integral LED 6V, 12V, 24V, 48V AC/DC, 110VAC, 110VDC, 230VAC, 220VDC	Green Red Amber lens	2ATLR5LF3P4 (IO)	395.00				
Integral LED	Please mention the voltage re	equired after the orde	ering code					
	<b>LED Bulb,BA9S type</b> 24V AC/DC, 110VAC, 110VDC, 230VAC, 220VDC	Green Red Amber lens	2ATL5LBF3P4 (IO)		395.00			
LED Bulb	Please mention the voltage required after the ordering code							
	Twin Illuminated Dou	ıble Flush, (IO)	Mark					
	Integral LED 6V, 12V, 24V, 48V AC/DC, 110VAC, 110VDC, 230VAC, 220VDC	Green Red Amber lens	2ATLR5LF3F4 (IO)	395.00				
Integral LED	Please mention the voltage required after the ordering code							
	<b>LED Bulb,BA9S type</b> 24V AC/DC, 110VAC, 110VDC, 230VAC, 220VDC	Green Red Amber lens	2ATL5LBF3F4 (IO)		395.00			
LED Bulb	Please mention the voltage re	equired after the orde	ering code					



## Control & Signalling Devices 22.5 Ø METALLIC SERIES

l								
ILLUMINATED MUSH	ROOM WITH LED							
	ТҮРЕ	COLOUR	ORDERING CODE	PRICE IN Rs. INTEGRAL LED	PRICE IN Rs. WITH LED BULB			
	Illuminated Mushroon	m, Momentar	y					
	Integral LED 6V, 12V, 24V, 48V AC/DC, 110VAC, 110VDC, 230VAC, 220VDC	Red	2ALRM4L	505.00				
Integral LED	Please mention the voltage req	uired after the orde	ering code					
	<b>LED Bulb, BA9S type</b> 24V AC/DC, 110VAC, 110VDC, 230VAC, 220VDC	Red	2ALM4LB		505.00			
LED Bulb	Please mention the voltage req	Please mention the voltage required after the ordering code						
	Illuminated Mushroon	Illuminated Mushroom, Push Pull						
	Integral LED 6V, 12V, 24V, 48V AC/DC, 110VAC, 110VDC, 230VAC, 220VDC	Red	2ALRMPP4L	560.00				
Integral LED	Please mention the voltage req	uired after the orde	ering code					
	<b>LED Bulb, BA9S type</b> 24V AC/DC, 110VAC, 110VDC, 230VAC, 220VDC	Red	2ALMPP4LB		575.00			
LED Bulb	Please mention the voltage req	uired after the orde	ering code					



Control & Signalling Devices 22.5 Ø METALLIC SERIES

ONTACT ELEMENTS			
	ТҮРЕ	ORDERING CODE	PRICE IN Rs.
	PANEL MOUNTING		
	NORMALLY OPEN (NO) SILVER CONTACT	S1	80.00
THE COLOR	NORMALLY OPEN (NO) SILVER CONTACT (BREAK BEFORE MAKE)	\$1\$	80.00
	NORMALLY OPEN (NO) SILVER CONTACT ( MAKE BEFORE BREAK )	S1E	80.00
REFERENCE → YHELYNIC <sup>®</sup> SE → YHELYNIC <sup>®</sup> SE → STAIN → STAIN	NORMALLY CLOSED (NC) SILVER CONTACT	S2	80.00
Transformer Transformer States Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transformer Transforme	NORMALLY OPEN (NO) GOLD CONTACT	\$3	215.00
HART A C C C C C C C C C C C C C C C C C C	NORMALLY CLOSED (NC) GOLD CONTACT	S4	215.00
	BASE MOUNTING		
THERE 3	NORMALLY OPEN (NO) SILVER CONTACT	S5	80.00
C TURENER M TURENER	NORMALLY CLOSED (NC) SILVER CONTACT	S6	80.00
	NORMALLY OPEN (NO) GOLD CONTACT	\$7	215.00
C THERE AND A THE AND A TH	NORMALLY CLOSED (NC) GOLD CONTACT	S8	215.00

#### Common types of control and signalling devices Ø 22.5

Description	Type of Actuator or Lense Assembly	Actuator	Contact Elements NO = S1 NC = S2 or Lamp Holder	Type of complete Control or Signaling Device
-	2AF3	Green	1NO	2PSF310
Flush Pushbutton	2AF8	Yellow	2NO+1NC	2PSF821
Designation Designation	2AP2	Black	2NC	2PSP202
Projecting Pushbutton	2AP4	Red	3NO+3NC	2PSP433
Mushroom Pushbutton Spring	2AM2	Black	1NO+1NC	2PSM211
return	2AM4	Red	1NC	2PSM401
Mushroom Pushbutton latching turn to release	2AML2 2AML4	Black Red	1NC 2NO+2NC	2PSML201
Mushroom Pushbutton latching, key to release	2AMLKB4	Red	1NO+1NC	
Selector Actuator(2Pos)	2AS2-2P	Black	1NO	2PSS210-2P
Selector Actuator(3Pos)	2AS2-3P	Red	1NO+1NC	2PSS211-3P
Key Actuator (2Pos), Key withdrawab	e 2AK2-2PB		1NO	2PSK210-2PB
in both positions Key Actuator (3Pos), Key withdrawab in left & right positions	e 2AK2-3PB		1NO+1NC	2PSK211-3PB
Selector Illuminated Pushbutton, 2 position with resistance and diode (230V) Selector Illuminated	2ASLR3-2P230AC	Green	1NO+1NC + 2LHBR230AC 1NO+1NC	2PSSLR311-2P230AC
Pushbutton, 3 Position with resistance (24V)	2ASLR4-3P24	Red	+ 2LHBR24	2PSSLR411-3P24 27 66
Pilot Light for direct	2LA3	Green	2LHB24	2PLB324
connection upto 130V	2LA4	Red	2LHB130	2PLB4130
Pilot Light through resistor and diode	2LA5	Amber	2LHBR230AC	2PLBR5230AC
for 230 V AC. Bulb:130V.	2LA6	Blue	2LHBR230AC	2PLBR6230AC
Pilot Light with transformer for	2LA4	Red	2LHBT230/24	2PLBT4230/24
for 230 V Bulb:24 V.	2LA3	Green	2LHBT230/24	2PLBT3230/24
Flush Illuminated Pushbutton	2ALRF3L24DC	Green	1NO+1NC +	2PSI RE3I 1124DC
with integral LED for 24 V DC Projecting Illuminated Pushbutton with integral LED 230 V AC	2ALRP4L230AC	Red	2LHLR24DC 1NO+1NC + 2LHLR230AC	2PSLRP4L11230AC
Pilot Light with LED bulb for 110 V Bulb:110 V	2LAL5	Amber	2LHLB110	2PLB5LB110
Twin Pushbutton marked "I O"		Flush-Blac	k 1 NO	
Flush - Flush	2ATF2-F4-IO	Flush-Red	1 NC	2PSTF210-F401-IO
Twin Pushbutton not marked		Flush-Gree	n 1NO+1NC	
Flush - Projecting	2ATF3-P4	Proj-Red	1NO+1NC	2PSTF311-P411
Twin Illuminated Pushbutton marked "I O" Flush - Flush direct connection (130V)	2ATL3-F2 -F4 [O130	Lense-Gre Flush-Blac Flush-Red		2PSTL3F211-F401-I0130
Twin Illuminated Pushbutton not marked Flush - Projecting with resistance (24V)	2ATLR5-F3 -P424	Lense-Amt Flush-Gree ProjRed		2PSTLR5F310-P40124



703, Madhava, Bandra Kurla Complex, Bandra East, Mumbai - 400051 Tel: 022-42532500 E-Mail : teknic@teknic.co.in Website : www.teknic.co.in CH:MT:20 REV:G



#### GENERAL TERMS AND CONDITIONS

General Terms	:	Prices are ex-works Mumbai
HSN CODE	:	85365010 for all the products of this MRP List
GST	:	18%
Duite a sure sure is a start		atom with a star and with a state store of delivery.

Prices are subject to revision without notice and ruling at the time of delivery.

This price list supersedes all previous Price Lists.

Warranty Policy : TEKNIC equipment is guaranteed under the following terms:

For a period of 12 months from the date of sale, TEKNIC guarantees that its products are free from defects in material and workmanship, with the exception of consumables rendered unserviceable through normal use. During the said period, TEKNIC will replace or repair all parts acknowledged as defective due to factory workmanship and which have been returned in a timely manner by Buyer to TEKNIC and all costs and duties paid, together with a detailed description of the failure and a certified declaration of the number of hours of operation. Repaired or replaced parts will be redelivered FCA (named place) as per INCOTERMS 2000. This warranty is subject to the provision of correct usage, proper maintenance and does not cover defects arising out of fire, faulty operation, accident, inefficient maintenance and willful or accidental damage.

TEKNIC guarantee applies to all equipment, parts and components stored, installed, protected, maintained and used in accordance with TEKNIC specifications and instructions, and respecting the rules for normal use, without any modification by Buyer.

All other conditions or warranties, whether express or implied, relating to the quality and operation of the equipment are excluded, as well as any liability for loss or damage caused directly or indirectly by the equipment or resulting from its use.

Proof of purchase to be provided to avail warranty.

#### TEKNIC ELECTRIC (I) PVT. LTD.

Reg.Office	: 116, Hammersmith Industrial Estate, Mahim (W), Mumbai – 400016.							
Head Office	: 703/704/705, Madhava, Bandra Kurla Complex, Bandra (E), Mumbai – 400051. Tel : +91-22-42532500							
Works	: 65, Marol Co-op. Industrial Estate Ltd., M. Vassanji Road, Andheri (East), Mumbai – 400059. Tel : +91-22-42534500							
Email	: teknic@teknic.co.in	mfg@teknic.co.in	Website : www.teknic.co.in					